

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: _____

DATE : April 19, 2010TO SPE OF : ART UNIT 3736SUBJECT : Request for Certificate of Correction for Appl. No.: 10691823Patent No.: 7520863

Please respond to this request for a certificate of correction within 7 days.

FOR IFW FILES:

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.

FOR PAPER FILES:

Please review the requested changes/corrections as shown in the attached certificate of correction. Please complete this form (see below) and forward it with the file to:

Certificates of Correction Branch (CofC)
Randolph Square - 9D40-C
Palm Location 7580

Certificates of Correction Branch
703-756-1573

Thank You For Your Assistance**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☐ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☒ **Denied**

State the reasons for denial below.

Comments: Claim 14 cannot be corrected to read "A A bio-directional steerable guidewire" as requested b/c it changes the scope of invention. A request to change it to read "A bi-directional steerable guidewire" however would be approved.

Matthew
SPE

3736
Art Unit